

MiniPCI-VGA-Z9s

MiniPCI VGA/LVDS Module



Specifications

Chipset	XGI Volari Z9s Chipset 32-bit PCI bus Support VGA, LVDS Flat Panel Display
BIOS	VGA/LCD BIOS
Video Memory	Onboard 32MB DDR2 Resolution up to 1600 x 1200 @ 16M colors
Bus	Mini-PCI standard compliant
Connectors	1.25mm 10-pin wafer for VGA x1 1.25mm 16-pin wafer for LVDS x1
Power Requirement	Single Voltage +5V @ 80mA
Weight	9g
Board Size	64.7 x 44.6mm (2.54 x 1.76 inches)
Operating Temperature	-20°C ~ +70°C -40°C ~ +85°C (Optional)

Packing List

- MiniPCI-VGA-Z9s x1
- VGA (1.25) x1

MiniPCI-L-8100

MiniPCI LAN Module



Specifications

Chipset	Realtek 8100B 10/100 Mbps Ethernet Controller Integrated Fast Ethernet MAC, Physical chip and transceiver in one chip Supports 10/100Mbps N-way Auto-negotiation operation Supports Full Duplex Flow Control (IEEE 802.3x) Half/Full duplex capability Compliant to PC99/PC2001
Bus	Mini-PCI standard compliant
Connectors	1.25mm 8-pin wafer for LAN x1
Power Requirement	Single Voltage +5V @ 40mA
Weight	9g
Board Size	64.7 x 44.6mm (2.54 x 1.76 inches)
Operating Temperature	-20°C ~ +70°C -40°C ~ +85°C (Optional)

Packing List

- MiniPCI-L-8100 x1
- NET (1.25) x1

1

µProcessor
Module

2

Mity/Tiny CPU
Module

3

PC/104 CPU
Module

4

Half-Size CPU
Module

5

3.5" CPU
Module

6

Peripheral
Module

7

Display Product
Series

8

Accessories &
Technical Information